


The Proper Way

TO KEEP YOUR HANDS OFF IT™


WHEN USING A **SHOVEIT®**

The ShoveIt® all-purpose hand safety tool enables workers to remain a safe distance away from danger zones and pinch points while maneuvering suspended loads or any other moveable object. The versatile V-shaped head allows workers to safely push against flat surfaces, corners, edges and tubulars. Opposing grab hooks can push and pull cables, slings, taglines, cargo basket rims or any other small diameter object. Proper usage and body positioning is the key to safe operations.


USE THE V-SHAPED HEAD TO:




Push the corner or edge of an object to move it or guide and control the load




Push on a flat surface to move an object




Push suspended vertical tubing



Push objects along a rolling rack




Push tubulars along a pipe rack




Push rolling objects on the ground


USE THE OPPOSING GRAB HOOKS TO:




Retrieve tagline without being under the load



Push or pull cable, wire rope or chain slings to guide and control a load



Push or pull cargo baskets with rims up to 5" in width



Push or pull suspended vertical tubing (1.5" diameter or less)



MADE IN THE U.S.A.



800.674.9224





Push Rating of 2,300 lbs
Pull Rating of 600 lbs

US PATENT NO. 8,376,430

Passed third-party high voltage ASTM F3121 Section 6.3 75 kV/ft. 60Hz test

PROPER HAND PLACEMENT



✓ DO'S



Always wear proper personal protective equipment as the job requires



Inspect the tool before each use



Use both hands when operating tool



Stand with both feet firmly planted on the ground




Use only for push / pull / guiding / rolling applications




Clean tool after each use and store in clean, dry environment

✗ DONT'S



Do not use the tool if damaged



Do not use the tool as a pry bar



Do not use tool while tired or under the influence of drugs, alcohol, or medication



Do not overreach



MADE IN THE U.S.A.



800.674.9224

Tech SPECS


ShoveIt[®]
HAND SAFETY TOOL

HEAD DESIGN



- Lightweight yet extremely durable head
- Versatile V-shape and opposing grab hooks allow workers to safely push and pull a multitude of objects
- Three insert options for various applications:
 - » Nitrile rubber insert for grip
 - » UHMW-PE plastic insert for glide
 - » Aluminum insert for high heat

SHAFT MATERIAL



- Lightweight and durable plastic-coated FRP material
- Hi-Viz safety orange
- Textured shaft for slip-resistant handling



US PATENT NO. 8,376,430

Passed third-party high voltage ASTM F3121
Section 6.3 75 kV/ft. 60Hz test



Hand Guard with Tethering Point



D-Handle



Rubber End Grip



MADE IN THE U.S.A.



800.674.9224

HandSafetyTools.com

Tech SPECS



PART NUMBER	LENGTH	INSERT MATERIAL	HAND GUARD(S)	HANDLE	PART WEIGHT	PART DIMENSIONS
HST SHST21R	21"	Rubber	1	D-Handle	2.0 lbs.	21" x 11" x 5"
HST SHST21P	21"	Plastic	1	D-Handle	1.9 lbs.	21" x 11" x 5"
HST SHST21A	21"	Aluminum	1	D-Handle	2.1 lbs.	21" x 11" x 5"
HST SHST42R	42"	Rubber	1	D-Handle	2.8 lbs.	42" x 11" x 5"
HST SHST42P	42"	Plastic	1	D-Handle	2.7 lbs.	42" x 11" x 5"
HST SHST42A	42"	Aluminum	1	D-Handle	2.9 lbs.	42" x 11" x 5"
HST SHST50R	50"	Rubber	1	D-Handle	3.0 lbs.	50" x 11" x 5"
HST SHST50P	50"	Plastic	1	D-Handle	2.9 lbs.	50" x 11" x 5"
HST SHST50A	50"	Aluminum	1	D-Handle	3.1 lbs.	50" x 11" x 5"
HST SHST72R	72"	Rubber	2	Rubber End Grip	3.8 lbs.	72" x 11" x 4"
HST SHST72P	72"	Plastic	2	Rubber End Grip	3.7 lbs.	72" x 11" x 4"
HST SHST72A	72"	Aluminum	2	Rubber End Grip	3.9 lbs.	72" x 11" x 4"
HST SHST90R	90"	Rubber	2	Rubber End Grip	4.2 lbs.	90" x 11" x 4"
HST SHST90P	90"	Plastic	2	Rubber End Grip	4.1 lbs.	90" x 11" x 4"
HST SHST90A	90"	Aluminum	2	Rubber End Grip	4.3 lbs.	90" x 11" x 4"



MADE IN THE U.S.A.



800.674.9224

HandSafetyTools.com



No-Touch TOOL

FOR SAFELY GUIDING
SUSPENDED LOADS AND
MANEUVERING OBJECTS



Push Rating of 2,300 lbs
Pull Rating of 600 lbs



HandSafetyTools.com



Helps maintain proper body positioning



Keeps workers safe distance from danger zones



Removes risk of puncture, cut, crush and pinch points

US PATENT NO. 8,376,430

Passed third-party high voltage ASTM F3121 Section 6.3 75 kV/ft. 60Hz test






INSERT OPTIONS TO FIT JOB REQUIREMENTS

 Rubber to Grip	 Plastic to Glide	 Aluminum for High Heat
---	---	---


LENGTH OPTIONS FOR PROPER ERGONOMIC USE

				
21"	42"	50"	72"	90"

The ShoveIt® no touch hand safety tool helps avoid hand injuries while working with suspended loads or maneuvering objects. Users maintain proper ergonomic body positioning for safe handling out of the line of fire. It enables users to guide loads, move and position objects, as well as grab slings and taglines without physically placing hands on the item. Visit our website for complete tool information.

MADE IN THE U.S.A.



 800.674.9224

HandSafetyTools.com